Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3079	455/436	US-PGPUB; USPAT	OR	ON	2005/07/08 06:52
S2	967	455/440	US-PGPUB; USPAT	OR	ON	2005/07/01 13:41
S3	660	455/443	US-PGPUB; USPAT	OR	ON	2005/07/01 13:43
S4	24	S1 and (handover adj parameter)	US-PGPUB; USPAT	OR	ON	2005/07/01 13:44
S5	1963	S1 and (handover nea3 parameter)	US-PGPUB; USPAT	OR	ON	2005/07/07 13:20
S6	2	S1 and ((measur\$5 or calculat\$4) adj4 (delay or time) adj4 (handover near3 (procedure or process)))	US-PGPUB; USPAT	OR	ON	2005/07/07 13:21
S7	0	("2004/0266434").URPN.	USPAT	OR	OFF	2005/07/01 13:53
S8	41	S1 and ((delay or time) near4 (handover near3 (procedure or process)))	US-PGPUB; USPAT	OR	ON	2005/07/01 14:30
S9	5	S8 and hysteresis and threshold	US-PGPUB; USPAT	OR ·	ON	2005/07/01 14:28
S10	. 5	S8 and hysteresis	US-PGPUB; USPAT	OR	ON	2005/07/01 14:05
S11	1	S8 and hysteresis and (averag\$4 same window)	US-PGPUB; USPAT	OR	ON	2005/07/01 14:07
S12	1	S8 and hysteresis and (averag\$4)	US-PGPUB; USPAT	OR	ON	2005/07/01 14:07
S13	4	S8 and hysteresis and window	US-PGPUB; USPAT	OR	ON	2005/07/01 14:07
S14	4	S8 and hysteresis and threshold and window	US-PGPUB; USPAT	OR	ON	2005/07/01 14:08
S15	1	S8 and hysteresis and threshold and window and (round adj trip)	US-PGPUB; USPAT	OR	ON	2005/07/01 14:09
S16	3	S8 and (round adj trip)	US-PGPUB; USPAT	OR	ON	2005/07/01 14:09
S17	1	"20040266434"	US-PGPUB; USPAT	OR	ON	2005/07/06 14:12
S18	1	(hysteresis adj value) same (handover near2 threshold)	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:27
S19	1	(hysteresis near2 value) same (handover near2 threshold)	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:27
S20	2	(hysteresis) same (handover near2 threshold)	US-PGPUB; USPAT	OR	OFF	2005/07/07 15:11
S21	0	("6754494").URPN.	USPAT	OR	OFF	2005/07/07 12:31

S22	10	("5848063"   "5854981"   "5903840"   "5907807"   "5999816"   "6038448"   "6078817"   "6240291"   "6259918"   "6393282").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 12:42
S23	3	(hysteresis) same (handover near2 threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 12:44
S24	48811	(select\$4 or choos\$4 or pick\$4 or calculat\$4) near3 (hysteresis or threshold or (window near4 length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 12:49
S25	271	S24 and handover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 12:55
S26	257	S24 and handover	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:55
S27	3083	455/436	US-PGPUB; USPAT	OR	ON	2005/07/07 13:23
S28	425	S27 and ((measur\$5 or calculat\$4 or determin\$4 or comput\$4) with (delay or time) with (handover or handoff or (hand adj off)))	US-PGPUB; USPAT	OR	ON	2005/07/07 13:31
S29	434	(S27 and ((measur\$5 or calculat\$4 or determin\$4 or comput\$4) with (delay or time) with (handover or handoff or (hand adj off)))) ".ab", "ti."	US-PGPUB; USPAT	OR	ON	2005/07/07 13:31
S30	55	S27 and ((measur\$5 or calculat\$4 or determin\$4 or comput\$4) with (delay or time) with (handover or handoff or (hand adj off))) and S24	US-PGPUB; USPAT	OR	ON	2005/07/07 13:59
S31	5770	((handover or handoff) and (select\$ or calculat\$4 or choos\$4 or measur\$4) with (time or delay)) ". ab", "ti."	US-PGPUB; USPAT	OR	ON	2005/07/07 14:02
S32	288	S31 and hysteresis	US-PGPUB; USPAT	OR .	ON	2005/07/07 14:03
S33	78	S32 and window	US-PGPUB; USPAT	OR	ON	2005/07/07 14:04
S34	0	"10606515"	US-PGPUB; USPAT	OR	OFF	2005/07/07 15:05

		<del>/***</del>	,			
S35	0	("10606515").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/07 15:08
S36	1	"20040267925"	US-PGPUB; USPAT	OR	OFF	2005/07/07 15:09
S37	7	(measur\$4 or calculat\$4 or determin\$4 or comput\$4 or figur\$4) with ((handover near3 delay) or ((hand adj off) near3 delay))	US-PGPUB; USPAT	OR	OFF	2005/07/07 15:18
S38	299	(measur\$4 or calculat\$4 or determin\$4 or comput\$4 or figur\$4) with ((handover near4 (delay\$3 or tim\$3 or wait\$4)) or ((hand adj off) near3 (delay\$3 or tim\$3 or wait\$4)))	US-PGPUB; USPAT	OR	OFF	2005/07/07 15:20
S39	92	((measur\$4 or calculat\$4 or determin\$4 or comput\$4 or figur\$4) with ((handover near4 (delay\$3 or tim\$3 or wait\$4)) or ((hand adj off) near3 (delay\$3 or tim\$3 or wait\$4)))) and (select\$4 with handover)	US-PGPUB; USPAT	OR	OFF	2005/07/07 15:59
S40	1	"20040266474"	US-PGPUB; USPAT	OR	OFF	2005/07/07 16:00
S41	10	petrus and handover	US-PGPUB; USPAT	OR .	OFF	2005/07/07 16:00
S42	3083	455/436	US-PGPUB; USPAT	OR	ON	2005/07/08 06:53
S43	1051	(S42 and (delay with (handover or handoff or (hand adj off)))) or (S42 and (time adj2 (handover or handoff) or (hand adj off)))	US-PGPUB; USPAT	OR	ON	2005/07/08 06:56
S44	298	(S42 and (delay with (handover or handoff or (hand adj off))))	US-PGPUB; USPAT	OR	ON	2005/07/08 06:57
S45	169	(S42 and (delay near4 (handover or handoff or (hand adj off))))	US-PGPUB; USPAT	OR	ON	2005/07/08 06:57
S46	109	(S42 and (delay near2 (handover or handoff or (hand adj off))))	US-PGPUB; USPAT	OR	ON	2005/07/08 07:00
S47	81	(S42 and (delay adj2 (handover or handoff or (hand adj off))))	US-PGPUB; USPAT	OR	ON	2005/07/08 06:57
S48	8	(S42 and (delay near2 (handover or handoff or (hand adj off))) with (measur\$4 or calculat\$4 or determin\$4))	US-PGPUB; USPAT	OR	ON	2005/07/08 07:06
S49	1	"6807421"	US-PGPUB; USPAT	OR	ON	2005/07/08 07:06
S50	10	(hysteresis) same (window near4 averag\$4)	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:41

	<b>4</b> - 1					
S51	0	((round adj trip adj delay) or (RTT) or (RTD)) same (Physical adj protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:44
S52	13	(((round adj trip adj delay) or (RTT) or (RTD)) same (signal near4 transmi\$6)) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:49
S53	3	(((round adj trip adj delay) or (RTT) or (RTD)) near10 (signal near4 transmi\$6)) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:46
S54	165	(measur\$4 near2 delay) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:52
S55	76	((measurement or measuring) near2 delay) and handover and S54	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:54
S56	30	((measurement or measuring) adj delay) and handover and S54	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:55
S57	1	S56 and (measuring near2 handover adj delay)	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:56
S58	1	S56 and (measuring near3 handover near3 delay)	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:56
S59	5	S56 and (measuring same handover same delay)	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:58
S60	81	((process\$4 adj delay) or (que\$5 adj delay)) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:59
S61	17	((process\$4 adj delay) or (que\$5 adj delay)) same handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 07:59
S62	0	(physical adj layer adj protocol) same (radio adj resource adj protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:36
S63	1	(physical adj layer adj protocol) same (radio adj resource)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:36
S64	9	(radio adj resource adj protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:36
S65	4	S64 and (physical near4 protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:47
S66	1	(delay near3 handover) same (physical near4 protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:48
S67	1	(delay near5 handover) same (physical near4 protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:48
S68	1	(delay near10 handover) same (physical near4 protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:48
S69	1	(delay same handover) same (physical near4 protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:48
S70	1	(delay near3 handover) same (physical near4 protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:48
S71	5	(delay near3 handover) and (physical near4 protocol)	US-PGPUB; USPAT	OR	OFF	2005/07/11 08:48

S72	2	(delay near3 handover) and (physical near4 protocol) and (radio near3 resource)	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:11
S73	441	(hysteresis) same ms	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:12
S74	0	(hysteresis) same 200ms	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:12
S75	0	(hysteresis) same 100ms	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:12
S76	441	(hysteresis) same (ms or milisecond)	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:13
S77	25	((hysteresis) same (ms or milisecond)) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:27
S78	3	(acknowledg\$4) same ((round adj trip adj delay) or (rtd)) same (peer adj3 peer)	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:30
S79	227	(acknowledg\$4) same ((round adj trip adj delay) or (rtd))	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:30
S80	12	((acknowledg\$4) same ((round adj trip adj delay) or (rtd))) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:43
S81	2652	(time stamps) and handover and (measur\$4)	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:44
S82	5	(time adj stamps) same handover and (measur\$4)	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:45
S83	8	((time adj stamps) same (measur\$4)) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:56
S84	14957	(synchroniz\$4 or (standard adj protocol)) same measur\$4	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:57
S85	226	((synchroniz\$4 or (standard adj protocol)) same measur\$4) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:58
S86	2	(((standard adj protocol)) same measur\$4) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:58
S87	224	((synchroniz\$4) same measur\$4) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 09:58
S88	57	((synchroniz\$4) same measur\$4) same handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 10:10
S89	3	((uplink adj delay) or (revese adj delay)) and (time adj stamps)	US-PGPUB; USPAT	OR	OFF	2005/07/11 10:14
S90	1	(((uplink adj delay) or (revese adj delay)) and (time adj stamps)) and ((downlink adj delay) same physical)	US-PGPUB; USPAT	OR	OFF .	2005/07/11 10:16
S91	2	((downlink adj delay) same physical) and handover	US-PGPUB; USPAT	OR	OFF	2005/07/11 10:16

S92	5	((frame adj counter) same (time adj stamp)) and Handover	US-PGPUB; USPAT	OR	ON	2005/07/11 11:52
S93	2695	(radio adj network adj control\$4)	US-PGPUB; USPAT	OR	ON	2005/07/11 11:53
S94	1100	S93 and handover	US-PGPUB; USPAT	OR	ON	2005/07/11 11:53
S95	408	S93 same handover	US-PGPUB; USPAT	OR	ON	2005/07/11 11:53
S96	31	S93 same handover same threshold	US-PGPUB; USPAT	OR	ON	2005/07/11 11:54